

**Section M****Skin Conditions****Report based on highest stage of existing ulcer(s) at its worst; do not "reverse" stage****M0100. Determination of Pressure Ulcer Risk**

↓ Check all that apply

- A. Resident has a stage 1 or greater, a scar over bony prominence, or a non-removable dressing/device**
- B. Formal assessment instrument/tool** (e.g., Braden, Norton, or other)
- C. Clinical assessment**
- Z. None of the above**

**M0150. Risk of Pressure Ulcers**Enter Code **Is this resident at risk of developing pressure ulcers?**

0. **No**
1. **Yes**

**M0210. Unhealed Pressure Ulcer(s)**Enter Code **Does this resident have one or more unhealed pressure ulcer(s) at Stage 1 or higher?**

0. **No** → Skip to M0900, Healed Pressure Ulcers
1. **Yes** → Continue to M0300, Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage

**M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage**

|  |   |
|--|---|
| Enter Number<br><input type="checkbox"/> | <p><b>A. Number of Stage 1 pressure ulcers</b><br/><b>Stage 1:</b> Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues</p>  |
| Enter Number<br><input type="checkbox"/> | <p><b>B. Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister</p> <p><b>1. Number of Stage 2 pressure ulcers</b> - If 0 → Skip to M0300C, Stage 3</p>  |
| Enter Number<br><input type="checkbox"/> | <p><b>2. Number of these Stage 2 pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission</p> <p><b>3. Date of oldest Stage 2 pressure ulcer</b> - Enter dashes if date is unknown:<br/> <input type="text"/> <input type="text"/> - <input type="text"/> <input type="text"/> - <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/><br/>           Month Day Year</p> |
| Enter Number<br><input type="checkbox"/> | <p><b>C. Stage 3:</b> Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling</p> <p><b>1. Number of Stage 3 pressure ulcers</b> - If 0 → Skip to M0300D, Stage 4</p>   |
| Enter Number<br><input type="checkbox"/> | <p><b>2. Number of these Stage 3 pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission</p>  |
| Enter Number<br><input type="checkbox"/> | <p><b>D. Stage 4:</b> Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling</p> <p><b>1. Number of Stage 4 pressure ulcers</b> - If 0 → Skip to M0300E, Unstageable: Non-removable dressing</p>  |
| Enter Number<br><input type="checkbox"/> | <p><b>2. Number of these Stage 4 pressure ulcers that were present upon admission/reentry</b> - enter how many were noted at the time of admission</p>  |

**M0300 continued on next page**

**Section M****Skin Conditions****M0300. Current Number of Unhealed (non-epithelialized) Pressure Ulcers at Each Stage - Continued****E. Unstageable - Non-removable dressing:** Known but not stageable due to non-removable dressing/device

Enter Number

**1. Number of unstageable pressure ulcers due to non-removable dressing/device** - If 0 → Skip to M0300F, Unstageable: Slough and/or eschar

Enter Number

**2. Number of these unstageable pressure ulcers that were present upon admission/reentry** - enter how many were noted at the time of admission**F. Unstageable - Slough and/or eschar:** Known but not stageable due to coverage of wound bed by slough and/or eschar

Enter Number

**1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar** - If 0 → Skip to M0300G, Unstageable: Deep tissue

Enter Number

**2. Number of these unstageable pressure ulcers that were present upon admission/reentry** - enter how many were noted at the time of admission**G. Unstageable - Deep tissue:** Suspected deep tissue injury in evolution

Enter Number

**1. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution** - If 0 → Skip to M0610, Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar

Enter Number

**2. Number of these unstageable pressure ulcers that were present upon admission/reentry** - enter how many were noted at the time of admission**M0610. Dimensions of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar**

Complete only if M0300C1, M0300D1 or M0300F1 is greater than 0

If the resident has one or more unhealed (non-epithelialized) Stage 3 or 4 pressure ulcers or an unstageable pressure ulcer due to slough or eschar, identify the pressure ulcer with the largest surface area (length x width) and record in centimeters:

 .  cm**A. Pressure ulcer length:** Longest length from head to toe .  cm**B. Pressure ulcer width:** Widest width of the same pressure ulcer, side-to-side perpendicular (90-degree angle) to length .  cm**C. Pressure ulcer depth:** Depth of the same pressure ulcer from the visible surface to the deepest area (if depth is unknown, enter a dash in each box)**M0700. Most Severe Tissue Type for Any Pressure Ulcer**

Enter Code

Select the best description of the most severe type of tissue present in any pressure ulcer bed

- 1. Epithelial tissue** - new skin growing in superficial ulcer. It can be light pink and shiny, even in persons with darkly pigmented skin
- 2. Granulation tissue** - pink or red tissue with shiny, moist, granular appearance
- 3. Slough** - yellow or white tissue that adheres to the ulcer bed in strings or thick clumps, or is mucinous
- 4. Necrotic tissue (Eschar)** - black, brown, or tan tissue that adheres firmly to the wound bed or ulcer edges, may be softer or harder than surrounding skin

**M0800. Worsening in Pressure Ulcer Status Since Prior Assessment (OBRA, PPS, or Discharge)**

Complete only if A0310E = 0

Indicate the number of current pressure ulcers that were **not present or were at a lesser stage** on prior assessment (OBRA, PPS, or Discharge). If no current pressure ulcer at a given stage, enter 0

Enter Number

**A. Stage 2**

Enter Number

**B. Stage 3**

Enter Number

**C. Stage 4**

**Section M****Skin Conditions****M0900. Healed Pressure Ulcers**

Complete only if A0310E = 0

|   |  |
|---|--|
| Enter Code<br><input type="checkbox"/>  | <b>A. Were pressure ulcers present on the prior assessment (OBRA, PPS, or Discharge)?</b><br>0. <b>No</b> → Skip to M1030, Number of Venous and Arterial Ulcers<br>1. <b>Yes</b> → Continue to M0900B, Stage 2 |
| Indicate the number of pressure ulcers that were noted on the prior assessment (OBRA, PPS, or Discharge) that have completely closed (resurfaced with epithelium). If no healed pressure ulcer at a given stage since the prior assessment (OBRA, PPS, or Discharge), enter 0 |  |
| Enter Number<br><input type="checkbox"/>  | <b>B. Stage 2</b>  |
| Enter Number<br><input type="checkbox"/>  | <b>C. Stage 3</b>  |
| Enter Number<br><input type="checkbox"/>  | <b>D. Stage 4</b>  |

**M1030. Number of Venous and Arterial Ulcers**

|  |  |
|--|--|
| Enter Number<br><input type="checkbox"/> | Enter the total number of venous and arterial ulcers present |
|--|--|

**M1040. Other Ulcers, Wounds and Skin Problems**

|                          |  |
|--------------------------|--|
| ↓ Check all that apply   |  |
|                          | <b>Foot Problems</b>   |
| <input type="checkbox"/> | <b>A. Infection of the foot</b> (e.g., cellulitis, purulent drainage)          |
| <input type="checkbox"/> | <b>B. Diabetic foot ulcer(s)</b>   |
| <input type="checkbox"/> | <b>C. Other open lesion(s) on the foot</b>                                     |
|                          | <b>Other Problems</b>  |
| <input type="checkbox"/> | <b>D. Open lesion(s) other than ulcers, rashes, cuts</b> (e.g., cancer lesion) |
| <input type="checkbox"/> | <b>E. Surgical wound(s)</b>  |
| <input type="checkbox"/> | <b>F. Burn(s)</b> (second or third degree)                                     |
|                          | <b>None of the Above</b>   |
| <input type="checkbox"/> | <b>Z. None of the above</b> were present                                       |

**M1200. Skin and Ulcer Treatments**

|                          |   |
|--------------------------|---|
| ↓ Check all that apply   |   |
| <input type="checkbox"/> | <b>A. Pressure reducing device for chair</b>  |
| <input type="checkbox"/> | <b>B. Pressure reducing device for bed</b>  |
| <input type="checkbox"/> | <b>C. Turning/repositioning program</b>   |
| <input type="checkbox"/> | <b>D. Nutrition or hydration intervention</b> to manage skin problems                                   |
| <input type="checkbox"/> | <b>E. Ulcer care</b>  |
| <input type="checkbox"/> | <b>F. Surgical wound care</b>   |
| <input type="checkbox"/> | <b>G. Application of nonsurgical dressings</b> (with or without topical medications) other than to feet |
| <input type="checkbox"/> | <b>H. Applications of ointments/medications</b> other than to feet                                      |
| <input type="checkbox"/> | <b>I. Application of dressings to feet</b> (with or without topical medications)                        |
| <input type="checkbox"/> | <b>Z. None of the above</b> were provided   |